

02/15/2011

Page 1 of 2

1214799 - R8 SDMS



Re: Third West Project Plans
Craig Barnitz

to:

Joyce Ackerman, Brian King

02/15/2011 02:00 PM

Cc:

"Benjamin M. Clegg"

Hide Details

From: "Craig Barnitz" <cbarnitz@utah.gov>

To: Joyce Ackerman/R8/USEPA/US@EPA, "Brian King"
<Brian.King@PacifiCorp.com>

Cc: "Benjamin M. Clegg" <Benjamin.Clegg@PacifiCorp.com>

Brian,

I don't believe that I received Appendix C in its entirety. The Work Plan references the Construction Sequence (which I did receive) as a part of Appendix C, but as Joyce pointed out, the Work Plan also references Exclusion Zone and Soil Excavation maps in Appendix C that were not included in the e-mail.

Craig

Craig Barnitz
Environmental Scientist
Emergency Response/Site Assessment
UDEQ/DERR
Phone: (801) 536-0071
Fax: (801) 536-4242
cbarnitz@utah.gov

>>> <Ackerman.Joyce@epamail.epa.gov> 2/15/2011 1:50 PM >>>

Hi Brian - Yes, I did receive the plans and am writing comments as we speak. I have mandatory training next week, so I am striving to get you comments this week.

I just wrote a comment regarding Appendix C, which is supposed to be a

site map showing clean areas and contaminated areas. The map submitted with the e-mail on February 10, 2011, is the map showing the orange barrier fencing which only covers the soils with one percent or greater asbestos content. As we have discussed on the phone and in e-mails, the soils with less than one percent Libby amphibole asbestos are also considered contaminated and subject to regulation by Superfund. There will need to be a new drawing and a description of how clean fill will be distinguished from contaminated soils during excavation.

Thanks!

Joyce Ackerman, On-Scene Coordinator
EPA Region 8
1595 Wynkoop St.
Denver, CO 80202
Phone: 303-312-6822

From: "King, Brian" <Brian.King@PacifiCorp.com>
To: Joyce Ackerman/R8/USEPA/US@EPA, Craig Barnitz
<Cbarnitz@utah.gov>
Cc: "Clegg, Benjamin M." <Benjamin.Clegg@PacifiCorp.com>
Date: 02/15/2011 01:35 PM
Subject: Third West Project Plans

Joyce and Craig,

I just wanted to follow-up and make sure that you received all of the plans that I sent via email on Feb 10th. There were a total of six attachments.

Please let me know if you have not received all six attachments.

Thanks,
Brian King
T&D Environmental Services
ROCKY MOUNTAIN POWER

1407 West North Temple, NTO 230
Salt Lake City, Utah 84116
Direct: 801-220-4831
Cell: 801-520-7854
Email: brian.king@pacificorp.com

02/15/2011



RE: Third West Project Plans

King, Brian to: Joyce Ackerman

Cc: "Clegg, Benjamin M.", Craig Barnitz , Dave Roskelley

02/15/2011 02:04 PM

From: "King, Brian" <Brian.King@PacifiCorp.com>
To: Joyce Ackerman/R8/USEPA/US@EPA
Cc: "Clegg, Benjamin M." <Benjamin.Clegg@PacifiCorp.com>, Craig Barnitz
<Cbarnitz@utah.gov>, Dave Roskelley <dave@rrenviro.com>

Thank you for conducting the review so timely. Regarding your comment:

Our intent is treat soils with any percentage of LA as contaminated as we have previously discussed. The figure with the orange fencing is intended to only delineate the location of clean fill material (where and how deep the clean fill material is). Everything below the clean fill would still be treated per our previous conversations. In the Work Plan (section 4.3.1) we propose a method for handling the clean fill material with a built in safety factor (clean fill material within one foot of the excavated depth shown on the figure will be treated as contaminated). If this does not adequately address your comment, we will add more description/processes once we receive your comments.

Thanks again Joyce!

Brian King

-----Original Message-----

From: Ackerman.Joyce@epamail.epa.gov [mailto:Ackerman.Joyce@epamail.epa.gov]
Sent: Tuesday, February 15, 2011 1:50 PM
To: King, Brian
Cc: Clegg, Benjamin M.; Craig Barnitz
Subject: Re: Third West Project Plans

Hi Brian - Yes, I did receive the plans and am writing comments as we speak. I have mandatory training next week, so I am striving to get you comments this week.

I just wrote a comment regarding Appendix C, which is supposed to be a site map showing clean areas and contaminated areas. The map submitted with the e-mail on February 10, 2011, is the map showing the orange barrier fencing which only covers the soils with one percent or greater asbestos content. As we have discussed on the phone and in e-mails, the soils with less than one percent Libby amphibole asbestos are also considered contaminated and subject to regulation by Superfund. There will need to be a new drawing and a description of how clean fill will be distinguished from contaminated soils during excavation.

Thanks!

Joyce Ackerman, On-Scene Coordinator
EPA Region 8
1595 Wynkoop St.
Denver, CO 80202
Phone: 303-312-6822

From: "King, Brian" <Brian.King@PacifiCorp.com>
To: Joyce Ackerman/R8/USEPA/US@EPA, Craig Barnitz
<Cbarnitz@utah.gov>
Cc: "Clegg, Benjamin M." <Benjamin.Clegg@PacifiCorp.com>
Date: 02/15/2011 01:35 PM
Subject: Third West Project Plans

Joyce and Craig,

I just wanted to follow-up and make sure that you received all of the plans that I sent via email on Feb 10th. There were a total of six attachments.

Please let me know if you have not received all six attachments.

Thanks,
Brian King
T&D Environmental Services
ROCKY MOUNTAIN POWER

1407 West North Temple, NTO 230
Salt Lake City, Utah 84116
Direct: 801-220-4831
Cell: 801-520-7854
Email: brian.king@pacificorp.com



RE: Third West Project Plans

King, Brian

to:

Craig Barnitz, Joyce Ackerman

02/15/2011 02:45 PM

Cc:

"Clegg, Benjamin M.", Dave Roskelley

Hide Details

From: "King, Brian" <Brian.King@PacifiCorp.com>

To: Craig Barnitz <Cbarnitz@utah.gov>, Joyce Ackerman/R8/USEPA/US@EPA

Cc: "Clegg, Benjamin M." <Benjamin.Clegg@PacifiCorp.com>, Dave Roskelley
<dave@rrenviro.com>

Craig,

I believe that you are referring to Section 4.2.2 of the work plan where Appendix C is referenced regarding exclusion zones. We will need to edit the document here based on feedback we get from you and Joyce.

We did not identify exclusion zones on a map as is stated in the Work Plan. Since we propose the exclusion zones to be areas of active ground disturbing activities in contaminated soils, such as excavating, is there a need to develop a map indicating exclusion zone locations at this time? Since the location of exclusion zones may be dynamic (different areas will be exclusion zones at different phases of the project, could this issue be addressed during construction to add flexibility? We can discuss more when we receive your comments as well.

Thanks for asking and pointing this out.

-Brian King

From: Craig Barnitz [mailto:Cbarnitz@utah.gov]

Sent: Tuesday, February 15, 2011 2:00 PM

To: Ackerman.Joyce@epamail.epa.gov; King, Brian

Cc: Clegg, Benjamin M.

Subject: Re: Third West Project Plans

Brian,

I don't believe that I received Appendix C in it's entirety. The Work Plan references the Construction Sequence (which I did receive) as a part of Appendix C, but as Joyce pointed out, the Work Plan also references Exclusion Zone and Soil Excavation maps in Appendix C that were not included in the e-mail.

Craig

Craig Barnitz
Environmental Scientist
Emergency Response/Site Assessment
UDEQ/DERR
Phone: (801) 536-0071
Fax: (801) 536-4242
cbarnitz@utah.gov

>>> <Ackerman.Joyce@epamail.epa.gov> 2/15/2011 1:50 PM >>>

Hi Brian - Yes, I did receive the plans and am writing comments as we speak. I have mandatory training next week, so I am striving to get you comments this week.

I just wrote a comment regarding Appendix C, which is supposed to be a site map showing clean areas and contaminated areas. The map submitted with the e-mail on February 10, 2011, is the map showing the orange barrier fencing which only covers the soils with one percent or greater asbestos content. As we have discussed on the phone and in e-mails, the soils with less than one percent Libby amphibole asbestos are also considered contaminated and subject to regulation by Superfund. There will need to be a new drawing and a description of how clean fill will be distinguished from contaminated soils during excavation.

Thanks!

Joyce Ackerman, On-Scene Coordinator
EPA Region 8
1595 Wynkoop St.
Denver, CO 80202
Phone: 303-312-6822

From: "King, Brian" <Brian.King@PacifiCorp.com>
To: Joyce Ackerman/R8/USEPA/US@EPA, Craig Barnitz
<Cbarnitz@utah.gov>
Cc: "Clegg, Benjamin M." <Benjamin.Clegg@PacifiCorp.com>
Date: 02/15/2011 01:35 PM
Subject: Third West Project Plans

Joyce and Craig,

I just wanted to follow-up and make sure that you received all of the plans that I sent via email on Feb 10th. There were a total of six attachments.

Please let me know if you have not received all six attachments.

Thanks,
Brian King
T&D Environmental Services
ROCKY MOUNTAIN POWER

1407 West North Temple, NTO 230
Salt Lake City, Utah 84116
Direct: 801-220-4831
Cell: 801-520-7854
Email: brian.king@pacificorp.com